

Open Access Repository

www.ssoar.info

Trends in social determinants of child health and perinatal outcomes in European countries 2005-2015 by level of austerity imposed by governments: a repeat cross-sectional analysis of routinely available data

Rajmil, Luis; Taylor-Robinson, David; Gunnlaugsson, Geir; Hjern, Anders; Spencer, Nick

Veröffentlichungsversion / Published Version Zeitschriftenartikel / journal article

Empfohlene Zitierung / Suggested Citation:

Rajmil, L., Taylor-Robinson, D., Gunnlaugsson, G., Hjern, A., & Spencer, N. (2018). Trends in social determinants of child health and perinatal outcomes in European countries 2005-2015 by level of austerity imposed by governments: a repeat cross-sectional analysis of routinely available data. *BMJ Open*, 8(10), 1-8. https://doi.org/10.1136%2fbmjopen-2018-022932

Nutzungsbedingungen:

Dieser Text wird unter einer CC BY Lizenz (Namensnennung) zur Verfügung gestellt. Nähere Auskünfte zu den CC-Lizenzen finden Sie hier:

https://creativecommons.org/licenses/by/4.0/deed.de

Terms of use:

This document is made available under a CC BY Licence (Attribution). For more Information see: https://creativecommons.org/licenses/by/4.0





BMJ Open Trends in social determinants of child health and perinatal outcomes in European countries 2005–2015 by level of austerity imposed by governments: a repeat cross-sectional analysis of routinely available data

Luis Rajmil, David Taylor-Robinson, Geir Gunnlaugsson, Anders Hjern, Nick Spencer⁵

To cite: Rajmil L, Taylor-Robinson D, Gunnlaugsson G, et al. Trends in social determinants of child health and perinatal outcomes in European countries 2005-2015 by level of austerity imposed by governments: a repeat crosssectional analysis of routinely available data. BMJ Open 2018;8:e022932. doi:10.1136/ bmjopen-2018-022932

Prepublication history and additional material for this paper are available online. To view please visit the journal (http:// dx.doi.org/10.1136/bmjopen-2018-022932).

Received 13 March 2018 Revised 19 July 2018 Accepted 22 August 2018



@ Author(s) (or their employer(s)) 2018. Re-use permitted under CC BY. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to Dr Luis Rajmil; 12455lrr@comb.cat

ABSTRACT

Objective To assess whether the level of austerity implemented by national governments was associated with adverse trends in perinatal outcomes and the social determinants of children's health (SDCH) in rich countries Design Longitudinal ecological study of country-level time trends in perinatal outcomes and SDCH and from 2005 to 2015.

Setting and participants 16 European countries using available data from the International Monetary Fund, the Organisation for Economic Co-operation and Development and Eurostat.

Main outcome measures Trends in perinatal outcomes (low birth weight (LBW); infant mortality) and the SDCH: child poverty rates; severe material deprivation in families with primary education; preschool investment in three time periods: 2005-2007, 2008-2010 and 2012-2015. Outcomes were compared according to the cyclically adjusted primary balance (CAPB, differences between 2013 and 2009) as a measure of austerity, stratified in tertiles. Generalised estimating equation models of repeated measures were used to assess time trend differences in three periods.

Results Countries with higher levels of austerity had worse outcomes, mainly at the last study period. Material deprivation increased during the period 2012-2015 in those countries with higher CAPB (interaction CAPB-period 2012-2015, B: 5.62: p<0.001), as did LBW (interaction CAPB-period 2012-2015, B: 0.25; p=0.004).

Conclusions Countries that implemented more severe austerity measures have experienced increasing LBW, and for families with primary education also increasing material deprivation, worsening the negative impact of economic crisis. Reversing austerity policies that impact children is likely to improve child health outcomes.

INTRODUCTION

The global financial crisis starting in 2008 has had a great economic impact around the world, although the impact in each country

Strengths and limitations of this study

- ► This is one of the first studies to analyse trends in social determinants of children's health (SDCH) and perinatal indicators starting before the economic crisis.
- The main strengths of the study include the use of nationally representative data with standardised and comparable definitions and methods, and a study design that allowed us to analyse time trends starting in 2005, 3 years before the economic crisis, through to 2015.
- Countries included in the study may not allow the results to be generalised.
- Variables used to assess austerity, SDCH and perinatal outcomes may have limited ability to discriminate specific measures taken by governments.

depends on several factors, such as the starting point, mechanisms of social protection and social transfers, and the measures adopted by governments to deal with the crisis. During the period 2008-2010, the initial financial crisis was followed by a downturn in economic activity, resulting in evictions, foreclosures and prolonged unemployment in many countries. From 2010 to 2011 onwards, the pressure to adopt and enforce austerity measures, mainly within the European Union (EU) and worldwide, has been levied by global financial institutions such as the International Monetary Fund (IMF).²⁻⁴ These austerity measures taken by governments were neither homogeneous nor similarly implemented in rich countries; some protected public sector programmes and systems while others instituted large budget cuts in education, health and other public services.



Assessing the health effects of the crisis is challenging given the difficulty establishing association of exposure and outcomes. There is a lag time between exposure to the effects of a severe economic downturn and adverse health outcomes⁵ and, in the case of exposure in early childhood, the adverse effects may not emerge until adulthood. Childhood is an especially vulnerable period to the main determinants of health, such as living conditions, family income, employment, education, housing, access to health services, among other social determinants of child health (SDCH) to individual life style factors. All factors related to financial capital (ie, family income), human capital (ie, education) and social capital (family working conditions) have potential influence on future child health and development. ⁷⁸ Moreover, there is overwhelming evidence for the profound effects of social factors and SDCH on health throughout childhood and into adulthood. 9-11

Findings from studies to date on the impact of the economic crisis on SDCH and perinatal outcomes, carried out at national and international level show fetal and childhood populations as population groups most affected by the crisis. ^{12–16} Vulnerability starts in the prenatal period with adverse effects on perinatal outcomes. ^{17–19} Most studies of the impact of economic crisis on health have not distinguished between economic crises themselves and policy responses to these crises. ⁶ Furthermore, there is a paucity of literature on the impact of austerity measures imposed by government in response to the economic crisis on perinatal outcomes and SDCH. ²⁰ The analysis of time trends beginning before the crisis until the postcrisis period allows evaluation of political responses and their impact on SDCH and perinatal health.

The aim of the study was therefore to assess time trends in perinatal outcomes and SDCH by level of austerity enforced by governments. We hypothesise that those countries that implemented and maintained high levels of austerity would show statistically significant differences in adverse trends in perinatal outcomes and SDCH compared with countries imposing lower levels of austerity.

METHODS

We undertook a longitudinal ecological study of trends in perinatal outcomes and SDCH at country level, and assessed how these trends varied according to the level of austerity measures implemented. Sixteen European countries from the European Economic Area were included in the study, on the basis of routinely available data for the period 2005–2015 pertaining to perinatal outcomes and SDCH. Luxembourg was excluded due to its high level of economic development, which not necessarily reflects the real wealth of residents. Postcommunist countries were also excluded. The included countries are evenly distributed across low, intermediate and high austerity measures.

Outcome variables

Perinatal outcomes: Data on perinatal outcomes were taken from the Organisation for Economic Co-operation and Development (OECD) Family Database (http://www.oecd.org/els/family/database.htm).

- 1. Low birth weight (LBW) was defined as the number of live births weighing less than 2500 g divided by the total number of live births.
- 2. Infant mortality (IM): deaths of children aged less than 1 year per 1000 live births (no minimum threshold of gestation period or birth weight).

Social determinants of child health

- 1. Child poverty was defined as the percentage of children living in households with income below 60% of the median. Data were taken from the EU-Survey of Income and Living Conditions (EU-SILC) (http://ec.europa.eu/eurostat/web/microdata/european-union-statistics-on-income-and-living-conditions).
- 2. Severe material deprivation rate was defined as the proportion of children under 18 years of age living in families with primary level of education which cannot afford to pay for at least four out of the nine items considered basic, such as having arrears on mortgage or rent payments, utility bills, hire purchase instalments or other loan payments; not being able to afford 1-week annual holiday away from home; not being able to afford a meal with meat, chicken, fish (or vegetarian equivalent) every second day, etc. Data were taken from the EU-SILC database.

Table 1 Scores of the cyclically adjusted primary balance (CAPB) and stratified according to the level of austerity

Country	САРВ	Level of austerity
Denmark	0.02	Low
Finland	-0.1	Low
Germany	0.08	Low
Norway	0.14	Low
Sweden	-0.43	Low
Austria	0.58	Intermediate
Belgium	0.35	Intermediate
France	0.52	Intermediate
Italy	0.64	Intermediate
Netherlands	0.74	Intermediate
Greece	3.43	High
Iceland	1.75	High
Ireland	1.83	High
Portugal	1.68	High
Spain	1.93	High
UK	0.86	High

The average annual change in the difference between taxes and non-interest spending 2013–2009 would be if the economy were at full employment. Higher score corresponds to higher level of austerity.

Table 2 Low birth weight (LBW) and infant mortality (IM) in three time periods (2005–2007/2008–2010/2012–2015), by country and according to the level of austerity in tertiles (low, intermediate and high)

	Perinatal outcomes						
	LBW (%)			IM (‰)			
Level of austerity	2005–2007	2008–2010	2012–2015	2005–2007	2008–2010	2012–2015	
Low							
Denmark	5.30	5.30	5.25	3.96	3.50	3.65	
Finland	4.23	4.23	4.15	2.83	2.50	2.02	
Germany	6.83	6.86	6.75	3.90	3.46	3.27	
Norway	4.98	5.20	4.62	3.13	2.86	2.40	
Sweden	4.20	4.26	4.35	2.56	2.50	2.50	
Total	5.10	5.17	5.02	3.28	2.96	2.76	
Intermediate							
Austria	7.03	7.06	6.67	3.83	3.80	3.10	
Belgium	6.96	6.93	6.90	3.90	3.63	3.50	
France	6.65	6.73	6.33	3.80	3.76	3.57	
Italy	6.76	7.10	7.35	3.20	3.10	2.87	
Netherlands	6.76	5.83	5.80	4.46	3.80	3.80	
Total	6.83	6.73	6.81	3.84	3.61	3.32	
High							
Greece	8.86	9.33	9.32	3.66	3.20	3.60	
Iceland	3.90	3.83	4.10	1.90	2.16	1.80	
Ireland	4.93	5.00	5.55	3.63	3.43	3.42	
Portugal	7.63	8.06	8.70	3.40	3.13	3.02	
Spain	7.33	7.70	7.80	3.53	3.23	2.85	
UK	7.36	7.03	6.95	4.90	4.43	3.92	
Total	6.66	6.82	7.07	3.5	3.26	3.1	

3. Preschool investment (0–5 years old) was calculated as the annual percentage of gross domestic product (GDP) for each country. Data were taken from the OECD database.

Independent variable of interest

Austerity assessment

An indicator based on the cyclically adjusted primary balance (CAPB) published by the IMF²¹ was used to analyse and identify the extent of austerity policy responses to the crisis in each participating country during the period 2009–2013²², in general the last year with major spending cuts. The CAPB represents the cyclical component of the overall fiscal balance, computed as the difference between cyclical revenues and cyclical expenditures. It represents the average annual change in the CAPB, an estimate of what the difference between taxes and non-interest spending would be if the economy were at full employment. A high score equates to a higher level of austerity. CAPB was divided into tertiles representing high, medium and low level of austerity.

Covariable

Time period (2005 to the latest available data) was stratified in three time periods: 2005–2007 (precrisis); 2008–2010 (economic crisis); 2012–2015 (austerity and welfare period or postcrisis period).

Data analysis

The analysis progressed in three stages. First, we undertook a descriptive analysis of longitudinal trends in perinatal outcomes and the SDCH.

Second, we assessed the relationship between austerity category, and change in perinatal outcomes and SDCH, stratified in the three time periods.

Finally, we used a longitudinal generalised estimating equations (GEE) model, based on robust SEs,²³ to allow for analysis of our correlated repeated outcome measurements (SDCH and perinatal outcomes; see online supplementary figure 1). GEE has been advocated as a tool for evaluating policy change and natural experiments.²⁴ The independent variables included in the models were time period and CAPB. Time period was stratified in three time periods for our final model. Interaction terms were also included in the model to assess the influence of

Table 3 SDCH in three time periods (2005–2007/2008–2010/2012–2015), by country and according to the level of austerity in tertiles (low, intermediate and high)

	SDCH								
Level of	Child poverty (%)						Preschool investment (% of GDP)		
austerity	2005–2007	2008–2010	2012–2015	2005–2007	2008–2010	2012–2015	2005–2007	2008-2010	2012–2015
Low									
Denmark	8.33	8.81	8.30	14.20	7.53	13.80	1.29	1.26	1.37
Finland	8.96	10.50	8.87	12.80	14.06	11.87	0.88	0.99	1.10
Germany	11.50	13.56	13.40	24.83	30.00	30.52	0.37	0.42	0.55
Norway	8.63	8.90	8.37	8.56	11.50	14.00	0.83	1.12	1.22
Sweden	10.36	11.23	13.5	11.73	10.20	10.00	1.28	1.47	1.60
Total	9.55	10.59	10.48	14.42	14.65	16.03	0.93	1.05	1.16
Intermediate									
Austria	12.63	14.90	14.95	16.49	18.63	21.35	0.28	0.38	0.48
Belgium	14.60	14.73	15.72	22.36	21.0	24.35	0.60	0.64	0.75
France	13.40	14.83	16.37	16.53	22.53	23.70	1.10	1.14	1.25
Italy	22.63	22.13	23.77	15.70	17.86	29.12	0.52	0.54	0.53
Netherlands	11.70	11.32	11.40	10.30	9.06	9.27	0.54	0.82	0.71
Total	14.9	15.5	16.4	16.23	17.81	21.55	0.60	0.70	0.74
High									
Greece	21.96	22.43	27.02	20.83	27.33	50.82	_	_	_
Iceland	9.50	9.13	8.80	7.76	2.60	7.70	1.30	1.57	1.81
Ireland	18.33	16.26	17.12	17.53	19.10	26.12	0.28	0.43	0.50
Portugal	18.60	19.80	21.97	12.93	14.33	18.60	0.35	0.37	0.37
Spain	22.60	24.46	26.67	9.23	11.16	17.52	0.43	0.52	0.53
UK	19.96	18.93	18.10	22.4	20.8	28.82	0.79	0.77	0.77
Total	18.4	18.5	19.9	15.09	15.80	24.93	0.63	0.73	0.79

Material deprivation in families with primary education level.

GDP, gross domestic product; SDCH, social determinants of child health.

the time period and the level of austerity. The analysis was conducted using STATA V.12.0.

All procedures were carried out following the data protection requirements of the European Parliament (Directive 95/46/EC of the European Parliament and of the Council of 24 October 1995 on the protection of individuals with regard to the processing of personal data and on the free movement of such data).

Patient and public involvement

There was no patient or public involvement in the design of this study.

RESULTS

Higher rates of LBW were seen in Greece, Spain and Portugal, while Iceland showed the lowest rates during the period 2005–2015. Child poverty increased more for Greece and Spain than for the rest of countries, the latter especially showing an increasing trend at the end of the period. By contrast, Finland had lower rates of child

poverty with a diminishing trend during the last years. Greece showed an increasing percentage of material deprivation in children from families with primary education level from the year 2009 onwards, while Sweden showed the opposite trend (online supplementary figures 2–6).

Table 1 shows the CAPB 2013–2009 for countries included in the study, and stratified by level of austerity in tertiles. CAPB scores ranged from –0.43 (Sweden) to 3.43 (Greece).

Perinatal and SDCH outcomes according to the level of austerity

Tables 2 and 3 show perinatal outcomes and SDCH indicators by country, and stratified according to the level of austerity, in three time periods. The high-austerity group presents a trend to increasing LBW rates across the study periods, while the other groups show a slight decrease in 2012–2015. IM shows a continuously diminishing trend in all three groups over the study period. Low-austerity group

	Model 1 (crude)		Model 2 (adjusted by CAPB)		Model 3 interactions (time period*CAPB)	
	Coef.	P values	Coef.	P values	Coef.	P values
LBW						
Independent variables						
Time period						
2008–2010	0.04	NS	0.04	NS	-0.05	NS
2012–2015	0.05	NS	0.05	NS	-0.16	NS
CAPB			0.8	0.009	0.7	0.02
Interaction terms						
CAPB*2008-2010					0.11	NS
CAPB*2012-2015					0.25	0.004
Constant	6.23	< 0.001	5.51	< 0.001	5.27	<0.001
IM						
Independent variables						
Time period						
2008–2010	-0.256	<0.001	-0.25	<0.001	-0.25	0.002
2012–2015	-0.46	<0.001	-0.32	<0.001	-0.55	<0.001
CAPB			-0.03	NS	-0.0028	NS
Interaction terms						
CAPB*2008-2010					-0.002	NS
CAPB*2012-2015					0.10	NS
Constant	3.53	< 0.001	3.50	< 0.001	3.53	< 0.001

Reference category: years 2005-2007.

CAPB, cyclically adjusted primary balance; IM, infant mortality; LBW, low birth weight.

of countries showed lower rates of child poverty and material deprivation than the intermediate and high-austerity group and the rates remained relatively stable across the three study periods (ie, percentage of material deprivation in the low-austerity group was 14.42%; 14.65% and 16.03%; while in the high-austerity group was 15.09%; 15.80% and 24.93%, respectively). Preschool investment increased in the low-austerity group from 0.93% of the GDP to 1.16% in the last period (2012–2015), while in the intermediate and high-austerity groups the increase was lower. Although Iceland is classified by the CAPB as a high-austerity country, it is an outlier as its perinatal and SDCH rates are similar to other Nordic countries in the low-austerity group.

Multivariate models

Tables 4 and 5 show GEE models for perinatal and SDCH outcomes analysed in three time periods. CAPB was associated with LBW and there was a significant interaction in the period 2012–2015, indicating that LBW increased more in the high-austerity countries (interaction CAPB-period 2012–2015, B: 0.25; p=0.004). No relationship was found between CAPB and IM. Material deprivation increased during the period 2012–2015, and mainly in those countries with higher CAPB (interaction CAPB-period 2012–2015, B: 5.62: P<0.001). No

association was found between preschool investment and CAPB.

DISCUSSION

To our knowledge, this is the first study exploring the impact of austerity imposed by governments in high-income countries on perinatal outcomes and SDCH above and beyond the impact of the economic crisis itself. The study provides some evidence to suggest that austerity measures themselves have had an impact on children's health, independent of the economic crisis that led to austerity. The results support the hypothesis that those countries that have applied and maintained higher levels of austerity have experienced adverse consequences for children that will likely have implications for the future adult health of a generation.

The results of the present study corroborate other studies at the European general population level. Lacording to the latter, although there are many differences between countries, the analysis suggests that the interaction of fiscal austerity with economic shocks and weak social protection ultimately seems to produce greater social crisis. In general, the initial response to the crisis was increasing public spending during the

	Model 1 (crude)		Model 2 (adjusted by CAPB)		Model 3 interactions (time period*CAPB)	
	Coef.	P values	Coef.	P values	Coef.	P values
Child poverty						
Time period						
2008–2010	0.51	NS	0.51	NS	0.75	NS
2012–2015	1.29	0.01	1.29	< 0.001	0.69	NS
CAPB			3.60	<0.001	3.46	< 0.001
Interaction terms						
CAPB*2008-2010					-0.27	NS
CAPB*2012-2015					0.69	0.06
Constant	14.6	<0.001	11.44	<0.001	11.57	<0.001
Material deprivation						
Independent variables						
Time period						
2008–2010	0.86	NS	0.86	NS	0.01	NS
2012–2015	5.86	< 0.001	5.86	< 0.001	0.92	NS
CAPB			2.37	NS	0.17	NS
Interaction terms						
CAPB*2008-2010					0.96	NS
CAPB*2012-2015					5.62	< 0.001
Constant	15.23	<0.001	13.15	<0.001	15.08	<0.001
Preschool investment						
Independent variables						
Time period						
2008–2010	0.1	<0.001	0.1	<0.001	0.1	0.006
2012–2013	0.18	< 0.001	0.18	<0.001	0.18	<0.001
CAPB			-0.19	NS	-0.19	NS
Interaction terms						
CAPB*2008-2010					0.008	NS
CAPB*2012-2013					-0.01	NS
Constant	0.72	<0.001	0.85	<0.001	0.85	< 0.001

SDCH (child poverty 2005–2015, material deprivation 2005–2015, and pre-school investment 2005–2013). Reference category: years 2005–2007.

CAPB, cyclically adjusted primary balance; SDCH, social determinants of child health.

years immediately following the crisis, mainly in those countries with increasing needs in vulnerable population groups (ie, high unemployment rates). Afterwards, the Greek, Spanish and the UK governments modified public policy to reduce deficits by cutting public expenditure, particularly on welfare benefits, with adverse effects on SDCH. On the other hand, in other countries such as Iceland, besides its specific characteristics, governmental responses have attempted to give prominence to redistribution, and try to protect middle-income and low-income groups. ¹⁹ This fact would explain, in part, the differences observed between the austerity group to which Iceland belongs and SDCH indicators.

A systematic review of the impact of the crisis on population health included a few studies on child health, ¹³ one of which found increased odds of LBW deliveries during the crisis in Iceland. ²⁶ It is worth noting that other variables should be taken into account when analysing perinatal outcomes such as LBW. For example, age of mother at birth, origin, social class, rates of multiple births, etc, although our data do not allow us to go further into these mechanisms affecting maternal environment and birth outcomes, which should be the subject of future studies. In any case, the results of our study are consistent with the finding of the mentioned study, particularly in the countries that applied the most severe austerity measures. The

studies included in the systematic review by Parmar *et al* are likely to have been too early to detect the full extent of the impact of the crisis and austerity measures on child health. Nevertheless, an increase in child mental health admissions and a high prevalence of mental health problems in children were described, and also poor well-being and an increase in the prevalence of overweight and obesity in poorest areas of the UK and among vulnerable children in Spain. ^{27–30}

A recent study showed that the rate of increase in life expectancy in 25 European countries slowed in 2011–2015 regarding 2006–2010.³¹ The relationship between high austerity and LBW but not IM in the present study could be associated to lag effects, as suggested by a recent rise in IM in the UK over last 2 years,³² and also the large numbers and much less power to detect changes in IM. These results reinforce the need for long-term monitoring of perinatal indicators such as IM.

This is one of the first studies to analyse trends in SDCH and perinatal indicators starting before the economic crisis. Although it is an observational study with ecological data from each country analysed, the findings provide credible evidence on the impact of austerity in childhood. The main strengths of our study include the use of nationally representative data with standardised and comparable definitions and methods, and a study design that allowed us to analyse time trends starting in 2005, 3 years before the economic crisis, through to 2015. Although the starting period, the extent and implementation of austerity measures might differ between countries and periods, the results are plausible and show a specific impact on SDCH and perinatal outcomes.

Some limitations of the study deserve comment. First of all, countries included in the study may not allow the results to be generalised. Nevertheless, European countries from the Euro and non-Euro areas were included. Future studies should extend the number of countries included to assess the influence of austerity in the remaining rich as well as middle-income and low-income countries. Second, those variables used to assess austerity, SDCH and perinatal outcomes may have limited ability to discriminate specific measures taken by governments. Moreover, validity and reliability of SDCH and perinatal indicators would be affected by country variability on data collection, etc. Nevertheless, both Eurostat and OECD make effort to continuously improve the quality of data collection (see http://ec.europa.eu/eurostat/en/web/ products-statistical-working-papers/-/KS-RA-12-018 and https://data.oecd.org/healthstat/infant-mortality-rates. htm as examples). The austerity measure, the CAPB, used in this study to differentiate policy responses, although being a generally accepted economic measure of austerity, may not adequately reflect national policies which institute general economic stringency at the same time as attempting to protect the most vulnerable groups, such as children. This might explain why Iceland, although having a CAPB suggesting a high level of austerity, shows trends more consistent with those for countries with

intermediate and low levels of austerity. Another limitation of these data is the absence of variables that allow inequalities in the SDCH and perinatal outcomes within countries to be analysed. It is well known that indicators analysed as averages often mask differences between population groups. Moreover, aggregate data do not allow adjusting LBW or IM by relevant variables such as parity, multiplicity or type of birth. In this sense, the sustained rise in multiple pregnancies associated with an increased access to assisted reproductive technology, a general deterioration in neonatal indicators such as LBW and a decrease in fertility since recession with changing socioeconomic status patterning, may underestimate the recession effect. For example, as previously mentioned, IM showed decreasing trends throughout the study period, but has been shown to have increased in the UK in recent years in the most disadvantaged social classes. 33 Third, the difficulties establishing causal associations between exposure and outcomes is well known especially in the case of international comparisons over time. Finally, as a result of the study design, the ecological fallacy cannot be ruled

In summary, to our knowledge, this is the first study to attempt to distinguish the negative impact on perinatal outcomes and SDCH of austerity measures imposed by government in response to the economic crisis from the effects of the economic crisis itself.

In conclusion, our findings suggest that those governments that applied high levels of austerity have exacerbated the effects of 2008 economic crisis on children specifically increasing child poverty, material deprivation in families at most need and perinatal outcomes such as LBW. The findings suggest the need to urgently protect vulnerable groups of children from the impact of austerity.

Author affiliations

¹Retired, Barcelona, Spain

²Department of Public Health and Policy, University of Liverpool, Liverpool, UK ³Faculty of Social and Human Sciences, University of Iceland, Reykjavik, Iceland ⁴Centre for Health Equity Studies (CHESS), Stockholm University/Karolinska Institutet, Stockholm, Sweden

⁵Division of Mental Health and Wellbeing, Warwick Medical School, University of Warwick, Coventry, UK

Contributors LR and NS were involved in the initial conception and design of the study. LR extracted data and NS, DT-R, GG and AH participated in the data analysis strategy. All authors were involved in the interpretation and discussion of results through call conferences. LR developed the first draft of the manuscript and all authors critically revised it and approved the final version. LR is study guarantor.

Funding DT-R is funded by the MRC on a Clinician Scientist Fellowship (MR/P008577/1). The study was not externally financed.

Competing interests None declared.

Patient consent Not required.

Ethics approval Ethical approval was not required for this study as it used routinely available aggregated data.

Provenance and peer review Not commissioned; externally peer reviewed.

Data sharing statement The data are available on request to the corresponding author.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: https://creativecommons.org/licenses/by/4.0/.

REFERENCES

- Dávila Quintana CD, González López-Valcárcel B, González L-VB. [The economic crisis and health]. Gac Sanit 2009;23:261–5.
- Bargain O, Callan T, Doorley K, et al. Changes in income distributions and the role of tax-benefit policy during the great recession: an international perspective. Fisc Stud 2017;38:559–85.
- Basu S, Carney M, Kenworthy NJ. Ten years after the financial crisis: The long reach of austerity and its global impacts on health. Soc Sci Med 2017:1:e5.
- Ruckert A, Labonté R. Health inequities in the age of austerity: The need for social protection policies. Soc Sci Med 2017;187:306–11.
- Flores M, García-Gómez P, Zunzunegui MV. [Economic crisis, poverty and childhood. What are the expected short- and long-term effects for the "children of the crisis"? SESPAS report 2014]. Gac Sanit 2014;28(Suppl 1):132–6.
- Barr B, Taylor-Robinson D. Recessions are harmful to health. BMJ 2016;354:i4631.
- Entwisle DR, Astone NM. Some practical guidelines for measuring youth's race/ethnicity and socioeconomic status. *Child Dev* 1994;65:1521–40.
- 8. Dahlgren G, Whitehead M. Policies and strategies to promote social equity in health. Institute for future studies. (revised version), 2007:14.
- Galobardes B, Lynch JW, Smith GD. Is the association between childhood socioeconomic circumstances and cause-specific mortality established? Update of a systematic review. J Epidemiol Community Health 2008;62:387–90.
- Hirsch D, Spencer N, 2008. Unhealthy lives; intergenerational links between child poverty and poor health in the UK, summary briefing. End Child Poverty Now Policy Briefing. http://www.donaldhirsch. com/unhealthylives.pdf
- Non AL, Román JC, Gross CL, et al. Early childhood social disadvantage is associated with poor health behaviours in adulthood. Ann Hum Biol 2016:43:144–53.
- Rajmil L, Fernandez de Sanmamed MJ, Choonara I, et al. Impact of the 2008 economic and financial crisis on child health: a systematic review. Int J Environ Res Public Health 2014;11:6528–46.
- Parmar D, Stavropoulou C, Ioannidis JP. Health outcomes during the 2008 financial crisis in Europe: systematic literature review. BMJ 2016:354:i4588.
- Taylor-Robinson D, Whitehead M, Barr B. Great leap backwards. BMJ 2014;349:g7350.

- Rajmil L, Artazcoz L, García-Gómez P, et al. Spanish children are most affected by the economic crisis, says the Spanish Society of Public Health (SESPAS). BMJ 2015;350:h1945.
- Unicef Office of Research, 2014. Children of the recession: the impact of the economic crisis, on child well-being in rich countries. www.unicef-irc.org/publications/pdf/rc12-engweb.pdf
- Sdona E, Papamichail D, Ragkou E, et al. Greek economic crisis and impaired perinatal parameters: experience from a public maternity hospital. J Matern Fetal Neonatal Med 2018;31:1–5.
- Varea C, Terán JM, Bernis C, et al. Is the economic crisis affecting birth outcome in Spain? Evaluation of temporal trend in underweight at birth (2003-2012). Ann Hum Biol 2016;43:169–82.
- Gunnlaugsson G. Child health in Iceland before and after the economic collapse in 2008. Arch Dis Child 2016;101:1–8.
- Cantillon B, Chzhen Y, Handa S, et al. Impact of the great recession on child poverty in rich countries. Oxford University Press: UNICEF, 2017
- International Monetary Fund (IMF), 2017. Fiscal Monitor. Achieving More with Less. http://www.imf.org/en/Publications/FM/Issues/2017/ 04/06/fiscal-monitor-april-2017
- Krugman P, 2015. The case for cuts was a lie. Why does Britain still believe it? The austerity delusion. The Guardian. https://www. theguardian.com/business/ng-interactive/2015/apr/29/the-austeritydelusion
- 23. Ballinger GA. Using generalized estimating equations for longitudinal data analysis. *Organ Res Methods* 2004;7:127–50.
- French B, Heagerty PJ. Analysis of longitudinal data to evaluate a policy change. Stat Med 2008;27:5005–25.
- Karanikolos M, Mladovsky P, Cylus J, et al. Financial crisis, austerity, and health in Europe. Lancet 2013;381:1323–31.
- Eiríksdóttir VH, Ásgeirsdóttir TL, Bjarnadóttir RI, et al. Low birth weight, small for gestational age and preterm births before and after the economic collapse in Iceland: a population based cohort study. PLoS One 2013;8:e80499.
- 27. Novoa AM, Ward J, Malmusi D, et al. Condicions de vida, habitatge i salut. Mostra de persones ateses per Càritas Diocesana de Barcelona. Barcelona: Càritas Diocesana de Barcelona, 2013.
- Plataforma de afectados por la Hipoteca. Te quedarás en la Oscuridad. Desahucio, familia e infancia desde un enfoque de derechos. Madrid: PAH, 2016.
- Rajmil L, Medina-Bustos A, Fernández de Sanmamed M-J, et al. Impact of the economic crisis on children's health in Catalonia: a before–after approach. BMJ Open 2013;3:e003286.
- McKenna C, Law C, Pearce A. Increased household financial strain, the Great Recession and child health—findings from the UK Millennium Cohort Study. BMJ Open 2017;7:e015559.
- Marmot M. Social causes of the slowdown in health improvement. J Epidemiol Community Health 2018;72:359–60.
- Taylor-Robinson DC, Lai E, Bradshaw J, et al. Death rate continues to rise for poorest infants in England and Wales. BMJ 2018;360:k1090.
- 33. Taylor-Robinson D, Barr B. Death rate now rising in UK's poorest infants. *BMJ* 2017;357:j2258.