

An exploratory study of Google Scholar

Mayr, Philipp; Walter, Anne-Kathrin

Veröffentlichungsversion / Published Version

Zeitschriftenartikel / journal article

Zur Verfügung gestellt in Kooperation mit / provided in cooperation with:

GESIS - Leibniz-Institut für Sozialwissenschaften

Dieser Beitrag ist mit Zustimmung des Rechteinhabers aufgrund einer (DFG geförderten) Allianz- bzw. Nationallizenz frei zugänglich. / This publication is with permission of the rights owner freely accessible due to an Alliance licence and a national licence (funded by the DFG, German Research Foundation) respectively.

Empfohlene Zitierung / Suggested Citation:

Mayr, P., & Walter, A.-K. (2007). An exploratory study of Google Scholar. *Online Information Review*, 31(6), 814-830.
<https://doi.org/10.1108/14684520710841784>

Nutzungsbedingungen:

Dieser Text wird unter einer Deposit-Lizenz (Keine Weiterverbreitung - keine Bearbeitung) zur Verfügung gestellt. Gewährt wird ein nicht exklusives, nicht übertragbares, persönliches und beschränktes Recht auf Nutzung dieses Dokuments. Dieses Dokument ist ausschließlich für den persönlichen, nicht-kommerziellen Gebrauch bestimmt. Auf sämtlichen Kopien dieses Dokuments müssen alle Urheberrechtshinweise und sonstigen Hinweise auf gesetzlichen Schutz beibehalten werden. Sie dürfen dieses Dokument nicht in irgendeiner Weise abändern, noch dürfen Sie dieses Dokument für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, aufführen, vertreiben oder anderweitig nutzen.

Mit der Verwendung dieses Dokuments erkennen Sie die Nutzungsbedingungen an.

gesis
Leibniz-Institut
für Sozialwissenschaften

Terms of use:

This document is made available under Deposit Licence (No Redistribution - no modifications). We grant a non-exclusive, non-transferable, individual and limited right to using this document. This document is solely intended for your personal, non-commercial use. All of the copies of this documents must retain all copyright information and other information regarding legal protection. You are not allowed to alter this document in any way, to copy it for public or commercial purposes, to exhibit the document in public, to perform, distribute or otherwise use the document in public.

By using this particular document, you accept the above-stated conditions of use.

Mitglied der

Leibniz-Gemeinschaft

Diese Version ist zitierbar unter / This version is citable under:

<https://nbn-resolving.org/urn:nbn:de:0168-ssoar-441375>



An exploratory study of Google Scholar

Philipp Mayr and Anne-Kathrin Walter

GESIS/Social Science Information Centre (IZ), Bonn, Germany

Refereed article received
20 February 2007
Approved for publication
1 May 2007

Abstract

Purpose – The purpose of this paper is to discuss the new scientific search service Google Scholar (GS). It aims to discuss this search engine, which is intended exclusively for searching scholarly documents, and then empirically test its most important functionality. The focus is on an exploratory study which investigates the coverage of scientific serials in GS.

Design/methodology/approach – The study is based on queries against different journal lists: international scientific journals from Thomson Scientific (SCI, SSCI, AH), open access journals from the DOAJ list and journals from the German social sciences literature database SOLIS as well as the analysis of result data from GS. All data gathering took place in August 2006.

Findings – The study shows deficiencies in the coverage and up-to-dateness of the GS index. Furthermore, the study points out which web servers are the most important data providers for this search service and which information sources are highly represented. The paper can show that there is a relatively large gap in Google Scholar's coverage of German literature as well as weaknesses in the accessibility of Open Access content. Major commercial academic publishers are currently the main data providers.

Research limitations/implications – Five different journal lists were analysed, including approximately 9,500 single titles. The lists are from different fields and of various sizes. This limits comparability. There were also some problems matching the journal titles of the original lists to the journal title data provided by Google Scholar. The study was only able to analyse the top 100 Google Scholar hits per journal.

Practical implications – The paper concludes that Google Scholar has some interesting pros (such as citation analysis and free materials) but the service cannot be seen as a substitute for the use of special abstracting and indexing databases and library catalogues due to various weaknesses (such as transparency, coverage and up-to-dateness).

Originality/value – The authors do not know of any other study using such a brute force approach and such a large empirical basis. The study can be considered as using brute force in the sense that it gathered lots of data from Google and then analysed the data in a macroscopic way.

Keywords Search engines, Digital libraries, Worldwide web, Serials, Electronic journals

Paper type Research paper

Introduction

As is now customary for new Google offerings, the launch of Google Scholar (<http://scholar.google.com/>) generated a great deal of media attention shortly after its debut in

This is a revised and updated version of the presentation, "Google Scholar – how deep does this search engine dig?", delivered at the IuK-Conference, 2005 in Bonn. The authors wish to thank their colleagues Max Stempfhuber, Peter Mutschke, Jürgen Krause and Vivien Petras for their assistance in preparing this paper. This paper is part of the BMBF-funded project, "Competence Center Modeling and Treatment of Semantic Heterogeneity" (Grant no. 523-40001-01C5953), available at: www.gesis.org/en/research/information_technology/komohe.htm



November 2004. Its close relation to the highly discussed topics of open access and invisible web (Lewandowski and Mayr, 2006) ensured that many lines were devoted to this service in both the general media (Markoff, 2004; Terdiman, 2004) and among scientific publishers and scientific societies (Banks, 2005; Butler, 2004; Payne, 2004; Sullivan, 2004; Jacsó, 2004; Giles, 2005). While the initial euphoria over this new service from Google has since quietened down, the service is currently being utilised by academic search engines to integrate results that are available free of charge.

Google Scholar stands out not just for the technology employed, but also for the efforts made to restrict searches to scientific information. As stated on the Google Scholar web page:

Google Scholar enables you to search specifically for scholarly literature, including peer-reviewed papers, theses, books, preprints, abstracts and technical reports from all broad areas of research. Use Google Scholar to find articles from a wide variety of academic publishers, professional societies, preprint repositories and universities, as well as scholarly articles available across the web (Google, 2005).

Above all, it appears that Google is attempting to automatically index the totality of the realm of scientifically relevant documents with this new search service Google Scholar. As Google does not make any information available with regard to coverage or how current the content it offers is, this study has been undertaken with the goal of empirically exploring the depth of search in the scientific web. We have measured the coverage of the service by testing different journal lists. The types of results and which web servers are represented in the result are also analysed.

The paper first describes the background, functions and unique features of Google Scholar. A brief literature review will bring together the current research results. Results of the second Google Scholar study from August 2006 will be presented in the second part. An initial analysis of journals in Google Scholar was conducted by the authors in the period April/May 2005 (Mayr and Walter, 2006). The results of this study were compared with certain parts of the current analysis in August 2006. This is followed by a summary of our observations on this new service.

Google Scholar

The pilot project CrossRef Search (www.crossref.org/crossrefsearch.html) can be seen as a test and predecessor of Google Scholar. For CrossRef Search, Google indexed full-text databases of a large number of academic publishers such as Blackwell, Nature Publishing Group, Springer, etc., and academic/professional societies such as the Association for Computing Machinery, the Institute of Electrical and Electronics Engineers, the Institute of Physics, etc., displaying the results via a typical Google interface. The CrossRef Search interface continues to be provided by various CrossRef partners (e.g. at Nature Publishing Group).

Similar in approach, but broader and less specific in scope than Google Scholar, the scientific search engine Scirus (www.scirus.com) searches, according to information they provide, approximately 300 million science-specific web pages. In addition to scientific documents from Elsevier (ScienceDirect server, see www.sciencedirect.com/) freely accessible documents are provided, many from public web servers at academic institutions. Among these are, for example, documents placed by students that do not fulfil scientific criteria such as peer review, which often lead to their exclusion in searches. In our experience there is more than a negligible fraction of records from

non-academic web spaces in the Scirus index. Scirus' coverage of purely scientific sources in addition to Elsevier's ScienceDirect full-text collection is low by comparison (compare the selection of hosts in the Scirus advanced search interface, <http://scirus.com/srsapp/advanced/>). What Scirus declares as the "rest of the scientific web" is too general, non-specifically filtered and makes up the majority of hits in any query.

As seen in the pilot project CrossRef Search, the chosen Google Scholar approach is to work in cooperation with academic publishers. What is significant about the Google Scholar approach?

First and foremost, what stands out is that Google Scholar, as previously mentioned, delivers results restricted to exclusively scientific documents and this constraint has yet to be consistently implemented by any other search engine. Google Scholar is a freely available service with a familiar interface similar to Google Web Search. Much of the content indexed by Google Scholar is stored on publishers' servers where full-text documents can be downloaded for a fee, but at least the abstracts of the documents found will be displayed at no cost. The Google approach does, however, provide documents from the open access and self-archiving areas (compare Swan and Brown (2005)).

In addition to the full-text access users might also be interested in the analysis implemented by Google and the document ranking based on this analysis. The relevance ranking is based on various criteria (see citation below). According to this the citation value of a document is only one factor contributing to its ranking. Google builds a citation index out of the full-text index as an add-on to its service. On top of the statistical best match ranking of full-texts, this add-on implementation can be valuable for re-ranking documents, or for analysis and evaluation purposes of certain document sets. Automatic reference extraction and analysis, also known as Autonomous Citation Indexing (ACI), can be particularly helpful for the user in information retrieval and delivery. This process ensures that often-cited scientific works will be ranked more highly in the results list thereby making them more visible to the user. Additionally the user can track all citing works extracted by ACI which need not necessarily be included in the full-text index or contain the original user search term. The automatic ACI process necessitates that references in the documents analysed be available, which is, per se, taken for granted if full-texts are analysed. This procedure also enables Google Scholar to present additional references not found on the indexed web servers.

Figure 1 is a graphic representation of the Google Scholar approach including the value added service ACI. The three different citing styles for the same reference seen in Figure 1 are taken from Lawrence *et al.* (1999) and are intended to illustrate the difficulties in dealing with automatic normalisation of references. The original system CiteSeer (<http://citeseer.ist.psu.edu/>) as well as Google Scholar have up to now implemented only heuristics for the application of ACI that also produce some errors in the citation values (see also Jacsó, 2005a, 2006a, b).

Google Scholar is also noteworthy for the fact that it is conceived of as an interdisciplinary search engine. In contrast to specialty search engines like the CiteSeer system, which indexes freely available computer science literature or RePEc for economic papers, the Google Scholar approach can be conceived of as a comprehensive science search engine.

The following is a short description of the most important features of Google Scholar:




Figure 1.
Google Scholar approach

- *Advanced search.* The advanced search offers, in addition to searching the title of the article, the opportunity to search for an author name, journal title and year of publication of an article or book (see Jacsó (2005b, c) for details on the limitations). These attributes represent only a minimal set of search criteria compared to specifically scientific search interfaces and the reliable extraction of this data from un- or only partially-structured documents poses a serious problem for an automatic system. The advanced search has recently begun to offer access by subject to different disciplines.
- *Full text access.* In contrast to the classical abstracting and indexing databases, which search in bibliographic metadata, including abstract and keywords, Google Scholar searches based on a full-text index. This means that the user can – with minor limitations (Price, 2004) and all the advantages and disadvantages of this kind of search – directly search and access the full text of documents.
- *Relevance ranking:* Google (2004) states:

Just as with Google Web Search, Google Scholar orders your search results by how relevant they are to your query, so the most useful references should appear at the top of the page. This relevance ranking takes into account the full text of each article as well as the article's author, the publication in which the article appeared and how often it has been cited in scholarly literature. Google Scholar also automatically analyses and extracts citations and presents them as separate results, even if the documents they refer to are not online. This means your search results may include citations of older works and seminal articles that appear only in books or other offline publications.

The relevance statement offered by Google in 2004 has since been shortened to the following:

Google Scholar aims to sort articles the way researchers do, weighing the full text of each article, the author, the publication in which the article appears, and how often the piece has been cited in other scholarly literature. The most relevant results will always appear on the first page.(Google, 2007).

- *Web search.* The link to the Google main index is useful especially when the documents are not directly available from the Google Scholar result list and the query is expanded to the whole (Google) web.
- *Institutional access.* The pilot project Institutional Access mainly offers additional value for institutional users such as students or scientific staff as Google uses open linking/ link resolver such as SFX to link directly to local library holdings.
- *Additional features.* Google Scholar offers additional features like *Library Search* which links the query to OCLC WorldCat (www.oclc.org/worldcat/), thereby providing hits from local libraries. Alternative places of a document on the web will also be presented (see Figure 2 versions).

Google Scholar BETA

allintitle: "digital library" [Advanced Scholar Search](#) [Scholar Preferences](#) [Scholar Help](#)

Scholar Results 1 - 100 of about 2,510 for allintitle: "digital library". (0.20 seconds)

Rich interaction in the **digital library**
R Rao, JO Pedersen, MA Hearst, JD Mackinlay, SK ... - Communications of the ACM, 1995 - portal.acm.org
... in the **Digital Library** ... Categories are the correlates of physical file folders or in a **digital library** context, perhaps a subject-based categorization system. ...
Cited by 107 - [Web Search](#) - [dewey.yonsei.ac.kr](#) - [ischool.utexas.edu](#) - [cs.chalmers.se](#) - all 7 versions » - [TUM SFX](#)

Annotation: From Paper Books to **Digital Library**
CC Marshall - ACM DL, 1997 - portal.acm.org
Page 1. Annotation: from paper books to the **digital library** ... KEYWORDS: Annotation, markings, study, **digital library** reading tools, annotation systems design. ...
Cited by 86 - [Web Search](#) - [csdl.tamu.edu](#) - [m3.uv.es](#) - [ils.unc.edu](#) - all 10 versions »

The Stanford **Digital Library** Metadata Architecture
MQW Baldonado, KCC Chang, L Gravano, A Paepcke - Int. J. on Digital Libraries, 1997 - springerlink.com
... The Stanford **Digital Library** metadata architecture c ... Remotely usable information processing facilities are also important **digital library** services. ...
Cited by 87 - [Web Search](#) - [db.stanford.edu](#) - [cs.columbia.edu](#) - [dbis.informatik.hu-berlin.de](#) - all 12 versions »

[BOOK] How to build a **digital library**
IH Witten, D Bainbridge - 2002 - Elsevier Science Inc., New York, NY
Cited by 44 - [Web Search](#) - [TUM SFX](#) - [Library Search](#)

A **Digital Library** for Geographically Referenced Material
TR Smith, D Andresen, L Carver, R Dolin, C Fischer ... - IEEE Computer, 1996 - library.ucsb.edu
A **Digital Library** for Geographically Referenced Materials. ... Fischer, C. et al. 1995.
"Alexandria **Digital Library**: Rapid Prototype and Metadata Schema," Proc. ...
Cited by 63 - [Cached](#) - [Web Search](#) - [portal.acm.org](#) - [ieeexplore.ieee.org](#) - [csa.com](#) - all 5 versions »

[CITATION] The New Zealand **Digital Library** MELody inDEX
RJ McNab, LA Smith, D Bainbridge, IH Witten - D-Lib Magazine, 1997
Cited by 63 - [Web Search](#)

Figure 2.
Typical Google Scholar
results list

Figure 2 shows a typical Google Scholar results list, with the search for titles containing the phrase, “digital library”. The individual components of a hit will be discussed in more detail later. Figure 2 illustrates that the availability of a hit can differ. The two different items depicted in the figure (labelled as book or citation) are not accessible via hyperlink as they are extracted only from indexed documents.

How deep does Google Scholar dig?

Much criticism has already been levelled at the lack of information about the actual size and coverage of Google Scholar (Jacsó, 2004, 2005b, c; Mayr and Walter, 2006). Remaining questions as to how often the search engine index is truly updated cannot be answered from publicly accessible research sources.

We would like to preface our journal title study of Google Scholar by giving a brief literature review of related studies published since the launch of Scholar. In our view there are at least two types of literature attempting to challenge Google Scholar in an academic way. There are papers analysing the functionality, coverage and up-to-dateness of the Scholar service and there are studies using Scholar as an instrument and alternative tool for citation analysis.

Peter Jacsó began early on with his reviews of Scholar. In his critical commentaries (Jacsó, 2004, 2005a, b, c) he pointed out that important features of academic search services like accurate searching of journal names (including name abbreviations), Boolean logic or publication years can be quite annoying and contain lots of mistakes in Scholar. The same problems arise in trying to count citations or hits (Jacsó, 2006a, b):

Those who need a comprehensive set of papers that includes the most respected (and hence most-cited) articles, books and conference papers are advised to treat the hits – and citedness scores – in Google Scholar with much reservation (Jacsó, 2005c).

His observations lead him to conclude that Scholar could be a useful service if its implementation would be more careful and elaborated, but in its current beta status Scholar is not sufficient for scholarly research.

Beside arguments of functionality and accuracy, in our eyes there are the increasingly critical points of size, coverage, completeness and up-to-dateness to be noted when using Scholar as a search tool. Google fails here, because it gives too little information about its sources. Some other researchers and professional searchers analysing size, coverage, etc. have also registered their concerns about this policy (Noruzi, 2005; Bauer and Bakkalbasi, 2005; Mayr and Walter, 2006):

However, it is important for all researchers to note that until Google Scholar gives a full account of what material it is indexing and how often that index is updated, it cannot be considered a true scholarly resource in the sense that Web of Science and Scopus are. An understanding of the material being covered is central to the validity of any search of scholarly material (Bauer and Bakkalbasi, 2005).

It can be said that Google Scholar covers only a part of the indexed document collections. The extent of this difference is often great (see Jacsó, 2005a), but it is difficult to explain it in a statistical correct way (compare Mayr and Tosques (2005) for analyses with the Google APIs web service). We assume that Google Scholar has started by only indexing a part of holdings. Preliminary and non-representative results of these experimental studies, including author, journal or topical searches underscore the beta status of the Google Scholar service, leading to the conclusion that currently

the index is irregularly updated and completeness and up-to-dateness varies greatly between different collections.

Google Scholar is also drawing attention through literature coming from the fields of bibliometrics and informetrics. Researchers from this field compare the new Google Scholar service with the established citation indices Web of Science (WoS) and Scopus (Bauer and Bakkalbasi, 2005; Belew, 2005; Noruzi, 2005; Kousha and Thelwall, forthcoming) or other citation databases (e.g. CiteSeer, see Bar-Ilan (2006)). Most of these studies are basing on small samples and applying different methodologies. Bauer and Bakkalbasi stated that “Google Scholar provided statistically significant higher citation counts than either Web of Science or Scopus”, but this result is based on the analysis of only one journal and two different journal volumes. They also say that older material from the analysed journal is covered better by WoS. Belew (2005) applauds the “first independent confirmation of impact data”, but also identifies significant variations in the counts between the ISI/WoS and the Google citation database. Belew (2005) and Bauer and Bakkalbasi (2005) also mentioned that Google Scholar could possibly cover the Open Access/self-archiving web publishing fraction better than the traditional citation activity WoS. Noruzi (2005) compared citation counts for highly cited papers in the webometrics field. He found a certain overlap between Scholar and WoS and a good ratio of additional papers for Google Scholar. Kousha and Thelwall (forthcoming) compared traditional and web-based citation patterns of Open Access articles in multiple disciplines. They found “significant correlations and overlaps between ISI/WoS citations and both Google Scholar and Google Web/URL citations” in all disciplines studied. Correlation between ISI/WoS citations and Google Scholar citations are stronger than ISI/WoS correlated with Google Web citations. Kousha and Thelwall concluded that it could be said that Google Scholar had a “widely applicable value in citation counting,” but that Scholar’s limitations must also be noted.

Our study was carried out as an alternative attempt to create a more accurate picture of Google Scholar’s current situation. Compared with the former studies, it utilises a brute force approach to give a more macroscopic view of the content indexed by Scholar. Our study uses brute force in the sense that we gathered a lot of data from Google, and analysed the data in a macroscopic fashion. The following study addresses the question: how deep does Google Scholar dig? The study should make it possible to answer these research questions:

- *How complete is Google Scholar’s coverage of different scientific journals on a general level?* By querying multiple journal lists, the study tests whether Google Scholar has indexed the journals and can display the articles. The journal lists come from widely varying subject areas: international peer-reviewed journals from the Web of Science (<http://scientific.thomson.com/products/wos/>) (particularly Science, Technology & Medicine), Open Access and social sciences, and enable conclusions to be drawn about the thematic focus of the current Google Scholar offering. Is Scholar touching the academic invisible web (compare Lewandowski and Mayr, 2006)?
- *Which document types does Google Scholar deliver? Are these results sufficient for professional searchers and academic researching?* The analysed data gives indications about the composition and utility of the results delivered by Scholar: full-text, link and citation.

- *From which providers does Google Scholar take the bulk of the documents retrieved?* The study should show who are the most prominent providers of data for this new service, and which sources for scientific information are actually under-represented in the index. The distribution of the web servers and providers is significant as it is an indicator of whether Google Scholar delivers more pay per document or freely accessible documents.

Methodology

In August of 2006 five different journal lists were queried and the results returned were analysed. In most scientific disciplines journals are the most important forum for scientific discussion; they can be readily processed and a relatively small amount of journals yields a representative and invaluable number of results.

Since not all existing journals could be queried, a selection was made from these readily available journal lists:

- (1) Journal lists from Thomson Scientific (ISI, see <http://scientific.thomson.com/mjl/>):
 - Arts & Humanities Citation Index (AH = 1,149 titles) contains journals from the Humanities;
 - Social Science Citation Index (SSCI = 1,917 titles) contains international social science journals[1]; and
 - Science Citation Index (SCI = 3,780 titles) contains journals from Science/Technology and Medicine.
- (2) Open Access journals from the Directory of Open Access Journals (DOAJ, see www.doaj.org/). At the time of the study this list encompassed a total of 2,346 international Open Access Journals from all scientific fields.
- (3) Journals from the SOLIS database (IZ, Sozialwissenschaftliches Literaturinformationssystem, see www.gesis.org/Information/Zeitschriften/index.htm) – this list encompasses a total of 317 mainly German language journals from various sociological disciplines and related areas.

The five journal lists cover very different areas and cannot be directly compared in terms of content, range, and size. More insight should be gained regarding which scientific disciplines, in what form and to what depth can be reached by Google Scholar. It should be noted that the five journal lists analysed reflect only a small number of regularly appearing journals. The Electronic Journals Library (www.bibliothek.uni-regensburg.de/ezeit/) in Regensburg, Germany for example, covers more than 22,800 periodical titles, of which more than 2650 are purely online journals. Harnad *et al.* (2004) arrive at a figure of approximately 24,000 peer-reviewed journals. Other estimates set the figure at about 100,000 periodically appearing publications (Ewert and Umstätter, 1997).

The study is divided into the following steps:

- (1) Querying the journal titles: titles from all journal lists were queried to determine the coverage of Google Scholar. The aforementioned lists were queried in August, 2006. Advanced search offers the field “Return articles published in ...”

- (2) *Downloading of Google Scholar result pages.* A maximum of 100 records were downloaded for every journal title to be processed.
- (3) *Data extraction from the results list.* The data studied are based on the individual records of the results pages. To clearly illustrate the approach, the typical structure of a Google Scholar hit is described in the following paragraph below.
- (4) *Analysis and aggregation of the extracted data.* The extracted data were aggregated using simple counts. We first counted each journal whose title could either be clearly identified or not. The results that could be matched were ordered according to the four different types of documents and counted (see Figure 3). For each result matched to a journal, all domains were extracted and the frequency of the individual web servers per journal list was computed (see Table I).

Composition of Google Scholar records

Figure 3 shows the components of a typical Google Scholar record, using a search for the journal, *Applied Artificial Intelligence*, as the example:

- title and document type of the record;
- domain of the web server;
- citation count of the document; and
- journal title.

Title and document type of the record (1)

In addition to the relevance of a reference, users are also interested in the availability of documents. The best case scenario is when users are directly linked to the full text; less favourable is when only a citation is displayed with the opportunity to query further via Google Web Search. The first line determines the type of the record. Certain types of documents are marked by brackets in front of the actual title to indicate their type:

- *Direct link to full text in Postscript- or PDF-Format.* Indicates a full-text record in Postscript or PDF-Format; “PS” or “PDF”, respectively, appearing as prefix in brackets (1.1 in Figure 3). This is not always the case for PDF-files so the suffix of the link must also be taken into consideration.



Figure 3.
Two typical records of a
Google Scholar result

Web server	Host name	Description	Frequency
www.springerlink.com	Springer-Verlag	Publisher	33,148
cat.inist.fr	Catalog of the Institut de l'Information Scientifique et Technique	Scientific portal	30,495
www.ingentaconnect.com	Ingenta	Publisher	29,273
doi.wiley.com	Wiley	Publisher	12,202
www.blackwell-synergy.com	Blackwell	Publisher	11,344
www.csa.com	CSA	Publisher	11,075
www.ncbi.nlm.nih.gov	National Center for Biotechnology Information	Scientific portal	9,404
taylorandfrancis.metapress.com	Taylor & Francis Group	Publisher	8,180
linkinghub.elsevier.com	Elsevier	Publisher	7,368
adsabs.harvard.edu	Smithsonian/NASA Astrophysics Data System	Scientific portal	4,771
Links.jstor.org	JSTOR	Scientific portal	4,279
content.karger.com	Karger Publishers	Publisher	3,500
portal.acm.org	Portal of the Association for Computing Machinery	Scientific portal	3,207
ieeexplore.ieee.org	Portal IEEE	Scientific portal	2,353
www.nature.com	Nature Publishing Group	Publisher	2,190
link.aip.org	American Institute of Physics	Scientific portal	2,144
Pubs.acs.org	American Chemical Society	Scientific portal	2,083
www.iop.org	Institute of Physics	Scientific portal	1,280
www.liebertonline.com	Mary Ann Liebert	Publisher	1,234
www.journals.cambridge.org	Cambridge University Press	Publisher	1,161
www.journals.uchicago.edu	University of Chicago Press	Publisher	851
www.thieme-connect.com	Georg Thieme Verlag	Publisher	689
www.publish.csiro.au	CSIRO	Publisher	672
www.pubmedcentral.nih.gov	National Institute of Health	Open Access	667
pubs.rsc.org	Royal Society of Chemistry	Scientific portal	610

Table I.
Distribution of the 25
most frequent web
servers (SCI list)

- *“Normal” reference.* Most of the records are links, leading first to a bibliographic reference which, according to Google Scholar, should contain at least one abstract.
- *Citations.* Many journal articles are offered by Google Scholar only as a citation. These results are denoted by the attached prefix “CITATION” (1.1 in Figure 3) and are not backed up by a link.
- *Books.* Google Scholar also delivers books as results, denoted by “BOOK”. As this study is only concerned with references found in journals these will not be considered.

Domains (2)

If the record is a link, the main web server is denoted (see 2 in Figure 3). If there are multiple sources, these can be reached by clicking the link “group of xy” (see 2.1 in Figure 3). These links were not included in the analysis; we only analysed the main link for each linked record.

Citation count (3)

Document ranking by Google Scholar is partially based on article citation counts. These are displayed (see (3), or “Cited by xy” in Figure 3) but were not evaluated for this study.

Journal title (4)

Google Scholar supports phrase search in limited fashion so journals will be searched and displayed which do not necessarily contain the search term as a phrase. For this reason every record was individually checked and only counted as a hit when the exact title (see 4 in Figure 3) was found.

Results

Identification of journals

First, we checked how many journal titles from the lists could be identified by Google Scholar. Journals were only classed as “Titles found” when they were clearly identifiable on the returned data. All titles not clearly identifiable were labelled as “Titles not found”.

Table II shows that the majority of requested journal titles from the five lists (AH, DOAJ, IZ, SCI, SSCI) can be identified in the data delivered from Google Scholar (see Titles found column; average is around 78.5 per cent), and that articles in the journals could actually be found. The exact number of the individual articles of a journal could

List	Titles	<i>n</i>	Titles found	%
AH	1,149	925		80.50
DOAJ	2,346	1,593		67.90
IZ	317	222		70.03
SCI	3,780	3,244		85.82
SSCI	1,917	1,689		88.11

Table II.
Identification of journal titles in Google Scholar data

not be determined because our analysis included only 100 hits for each journal. From the 317 journals on the IZ journal list (SOLIS) 222 titles (about 70 per cent of the list) can be clearly identified (see "Titles found"). The remaining 30 per cent of the list cannot be clearly identified, or produce no hits. There was, interestingly, a relatively high number of journal titles found for all lists. Yet, surprisingly, only 67.9 per cent of the freely accessible, open access journals can be definitively identified (see DOAJ list). The values of the DOAJ lists have fallen by about 10 per cent when compared with our previous study in April/May 2005 (Mayr and Walter, 2006). The journals from Thomson Scientific (AH, SCI, SSCI), which are mainly English language journals, have the best coverage/identification percentage-wise, at more than 80 per cent.

Distribution of document types

We then analysed Google Scholar data in terms of the document type to which it belongs. In total 621,000 Google Scholar records were analysed. The Google Scholar hits can be categorised into four different types (Link, Citation, PDF-Link and other formats such as PS, DOC, RTF). The distribution of document types is closely related to the results described above. The high ratio of journals found is reflected in the high percentage of document type Citation (28 per cent). This type, which Google terms "offline-record", cannot be described as a classical reference because it is comprised only of extracted references and offers only minimal bibliographic information (see Figure 4). The document type Link; a literature reference with an abstract, appears in the analysed data with the largest ratio at approximately 53 per cent. The references with direct access to full-text in the pdf format (full-text) are clearly less often represented reaching only 19 per cent. The other formats have negligible ratios. Our previous study (April/May 2005) showed similar values for both of the main document types (Link and Citation) of about 44 per cent (compare Mayr and Walter, 2006). Based

The screenshot shows the Google Scholar search interface. The search bar contains the text "Koelner Zeitschrift fuer Soziologie und Sozialpsychologie". Below the search bar, there are links for "Advanced Scholar Search", "Scholar Preferences", and "Scholar Help". The search results are displayed in a list format, with each entry including the document type (e.g., [CITATION]), the title, the author(s), the journal name, the year, and the number of citations. The results are as follows:

- [CITATION] Die Institutionalisierung des Lebenslaufs. Historische Befunde und theoretische Argumer
M Kohli - **Kölner Zeitschrift für Soziologie und Sozialpsychologie**, 1985
Cited by 146 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
- [CITATION] Persönliches Umweltverhalten. Diskrepanzen zwischen Anspruch und Wirklichkeit
A Diekmann, P Preisendörfer - **Kölner Zeitschrift für Soziologie und Sozialpsychologie**, 1992
Cited by 76 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
- Der Arbeitskraftunternehmer. Eine neue Grundform der Ware Arbeitskraft
GG Voß, HJ Pongratz - **Kölner Zeitschrift für Soziologie und Sozialpsychologie**, 1998 - [tu-chemnitz.de](#)
Page 1. DER ARBEITSKRAFTUNTERNEHMER Eine neue Grundform der Ware Arbeitskraft?
* G. Günter Voß und Hans J. Pongratz Originaltext ...
Cited by 255 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
- [CITATION] Bildungsungleichheit im sozialen Wandel
W Müller, D Haun - **Kölner Zeitschrift für Soziologie und Sozialpsychologie**, 1994
Cited by 61 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
- [CITATION] Partnerschaft und Migration. Zur theoretischen Erklarung eines empirischen Effect
F Kaller - **Koelner Zeitschrift fuer Soziologie und Sozialpsychologie**
Cited by 5 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
- [CITATION] Die Definition der Situation

Figure 4.
Google Scholar results list
for the query Koelner
Zeitschrift fuer Soziologie
und Sozialpsychologie

on these figures we conclude that the content coverage of the service has been expanded in 2006.

The values of the document types from the results analysis are detailed separately for each journal list in Table III.

What stands out here is that the SOLIS database journals (see IZ, German language social science journals) generate, for the most part, only citations as results (see 83.11 per cent under document types Citation). The reason is that Google Scholar cannot (directly) link the mostly German language articles and so offers only the extracted references from indexed documents (see Figure 4 as an example). The ratio of citations from the international journal lists (DOAJ, AH, SCI, SSCI) is clearly lower but also, to some extent, relatively high (see lists AH with 50.7 per cent citations). Approximately 30 per cent of open access articles (DOAJ) could not be listed as full-text or links. The international STM journals from Thomson Scientific (SCI) display the highest percentage of link references (approximately 61 per cent). A noticeable increase in the document type link can be seen for all lists when compared with our previous study (April/May 2005).

Distribution of web servers

If a result links to a hyperlinked reference (document type link or full-text) the distribution of this web server can be evaluated per journal list and a frequency distribution computed.

Table I shows the 25 servers most frequently offering journal articles of the SCI list. The description column categorises the type of server. Publisher indicates a commercial server offered by an academic publisher where there is a fee for full-text downloads; Scientific portal stands for servers offering free references and full-texts, although they do not always link directly to the full text in every case. For some there may be more than a single appropriate description, for example, portal.acm.org is a publisher and scientific portal. Open Access describes open access servers which deliver full-text free of charge.

The frequency of publishers at the top of the list which can be connected to Google Scholar's cooperation with publishers and CrossRef partners is noteworthy.

Table IV displays the ten most frequent web servers for all queried lists (AH, DOAJ, IZ, SCI, SSCI).

Conclusions

We are well aware that statements and conclusions included here will possibly need to be revised following the next Google Scholar update. All results and conclusions in this study are current and based on sample tests (100 hits per query) and are valid as of

Table III.
Distribution of document
types among the lists
queried

Lists	Link %	Citations %	Full-text %
AH	41.78	50.73	7.49
DOAJ	48.29	29.61	22.11
IZ	10.42	83.11	6.48
SCI	61.35	16.72	21.94
SSCI	49.38	32.84	17.78

AH	DOAJ	IZ	SCI	SSCI
1	links.jstor.org	cat.inist.fr	www.springerlink.com	links.jstor.org
2	cat.inist.fr	www.springerlink.com	cat.inist.fr	www.ingentaconnect.com
3	muse.jhu.edu	links.jstor.org	www.ingentaconnect.com	www.springerlink.com
4	www.questia.com	cesifo.oxfordjournals.org	doi.wiley.com	cat.inist.fr
	pubmedcentral.nih.gov			
5	www.springerlink.com	www.psychjournals.com	www.blackwell-synergy.com	www.eric.ed.gov
6	www.ingentaconnect.com	redalyc.uaemex.mx	www.csa.com	taylorandfrancis.metapress.com
7	www.blackwell-synergy.com	www.bioline.org.br	www.ncbi.nlm.nih.gov	www.blackwell-synergy.com
8	taylorandfrancis.metapress.com	www.hindawi.com	taylorandfrancis.metapress.com	www.questia.com
9	www.eric.ed.gov	demographic-research.org		doi.wiley.com
10	www.journals.cambridge.org	www.cesifo-group.de	linkinghub.elsevier.com	ideas.repec.org
		hsr-trans.zhsf.uni-koeln.de	adsabs.harvard.edu	

Table IV.
Top ten web servers per journal list

January 2007. Like the widely used, familiar search service Google Web Search, Google Scholar offers fast searching with a simple, user-friendly interface. The pros of this are that the search is free of charge and is done across interdisciplinary full-text collections. The Google Scholar approach offers some potential for literature retrieval, for example, automatic citation analysis and the ranking built up from this, and oftentimes direct downloading of full-text which is sometimes also described as a subversive feature (listing of self-archived pre- and postprints). Accurate citation analysis and webometric studies based on Google Scholar data (see Belew, 2005; Noruzi, 2005; Bar-Ilan, 2006; Kousha and Thelwall, forthcoming; see also Webometrics Ranking of World Universities, www.webometrics.info/methodology.html) can be recommended only with some limitations due to a lot of inconsistencies and vagueness (compare Jacsó 2006a, b) in the data. Citation counts aggregated by Google Scholar may work in some fields that are covered and indexed quite well, but in other fields which are perhaps more represented by the freely accessible web, these counts can be very inflated. This can mislead researchers in citation analyses based solely on Google Scholar.

The study shows that the majority of the journals on the five lists queried can be retrieved in Google Scholar. Upon closer examination the results are relativised by the high percentage of extracted references (see Table III, values of the document type citation). The international journals from the Thomson Scientific List (particularly from the area of STM) are fairly well covered. Analysis of the web servers shows that the majority of the analysed hits come from publishers. It seems that preference has been given to the collections of the CrossRef partners as well as additional commercial publishers partly indexed by Google Scholar (see Tables I and IV). As tested with the social science list (IZ) the ratio of German language journals is probably very low.

Our results show that the expanding sector of open access journals (DOAJ list) is under-represented among the servers. Something that remains unclear is why journal articles which are freely available on web servers are not readily listed by Google Scholar even though they are searchable via the classic Google Web Search. Although Google Scholar claims to provide “scholarly articles across the web”, the ratio of articles from open access journals or the full-text (e-prints, preprints) is comparably low.

Concerning the question of up-to-dateness, our tests show that Google Scholar is not able to present the most current data. It appears that the index is not updated regularly. The coverage and up-to-dateness of individual, specific web servers varies greatly. Our journal list queries empirically confirm Peter Jacsó’s (2005a) experience concerning the coverage of Google Scholar, although this needs to be qualified by stating that the service is still in beta status. However this does not entirely explain deficits such as duplicates in results data, faulty results sets and some non-scientific sources.

In comparison with many abstracting and indexing databases, Google Scholar does not offer the transparency and completeness to be expected from a scientific information resource. Google Scholar can be helpful as a supplement to retrieval in abstracting and indexing databases mainly because of its coverage of freely accessible materials.

Note

1. The definition of social sciences in SSCI is known to be rather broad and even contains, for example, information science journals.

References

- Banks, M.A. (2005), "The excitement of Google Scholar, the worry of Google Print", *Biomedical Digital Libraries*, Vol. 2 No. 2, available at: www.bio-diglib.com/content/2/1/2
- Bar-Ilan, J. (2006), "An ego-centric citation analysis of the works of Michael O. Rabin based on multiple citation indexes", *Information Processing & Management*, Vol. 42 No. 6, pp. 1553-66.
- Bauer, K. and Bakkalbasi, N. (2005), "An examination of citation counts in a new scholarly communication environment", *D-Lib Magazine*, Vol. 11 No. 9, available at: www.dlib.org/dlib/september05/bauer/09bauer.html
- Bewley, R.K. (2005), "Scientific impact quantity and quality: analysis of two sources of bibliographic data", available at: <http://arxiv.org/abs/cs.IR/0504036>
- Butler, D. (2004), "Science searches shift up a gear as Google starts Scholar engine", *Nature*, Vol. 432, p. 423.
- Ewert, G. and Umstätter, W. (1997), *Lehrbuch der Bibliotheksverwaltung*, Hiersmann, Stuttgart.
- Giles, J. (2005), "Science in the web age: start your engines", *Nature*, Vol. 438 No. 7068, pp. 554-5.
- Google (2004), "About Google Scholar", available at: <http://web.archive.org/web/20041130084532/scholar.google.com/scholar/about.html>
- Google (2005), "About Google Scholar", available at: <http://scholar.google.com/scholar/about.html>
- Google (2007), "About Google Scholar", available at: <http://scholar.google.de/intl/en/scholar/about.html>
- Harnad, S., Brody, T., Vallières, F., Carr, L., Hitchcock, S., Gingras, Y., Oppenheim, C., Stamerjohanns, H. and Hilf, E.R. (2004), "The green and the gold roads to Open Access", *Nature*, available at: www.nature.com/nature/focus/accessdebate/21.html
- Jacsó, P. (2004), "Google Scholar Beta", available at: www.galegroup.com/servlet/HTMLFileServlet?imprint=9999®ion=7&fileName=/reference/archive/200412/googlescholar.html
- Jacsó, P. (2005a), "Google Scholar: the pros and the cons", *Online Information Review*, Vol. 29 No. 2, pp. 208-14.
- Jacsó, P. (2005b), "As we may search – comparison of major features of the Web of Science, Scopus, and Google Scholar citation-based and citation-enhanced databases", *Current Science*, Vol. 89 No. 9, pp. 1537-47.
- Jacsó, P. (2005c), "Google Scholar Beta (Redux)", available at: www.gale.com/servlet/HTMLFileServlet?imprint=9999®ion=7&fileName=/reference/archive/200506/google.html
- Jacsó, P. (2006a), "Deflated, inflated and phantom citation counts", *Online Information Review*, Vol. 30 No. 3, pp. 297-309.
- Jacsó, P. (2006b), "Dubious hit counts and cuckoo's eggs", *Online Information Review*, Vol. 30 No. 2, pp. 188-93.
- Kousha, K. and Thelwall, M. (forthcoming), "Google Scholar citations and Google Web/URL citations: a multi-discipline exploratory analysis", *Journal of the American Society for Information Science and Technology*.
- Lawrence, S., Giles, C.L. and Bollacker, K. (1999), "Digital libraries and autonomous citation indexing", *IEEE Computer*, Vol. 32 No. 6, pp. 67-71.

- Lewandowski, D. and Mayr, P. (2006), "Exploring the academic invisible web", *Library Hi Tech*, Vol. 24 No. 4, pp. 529-39, available at: http://conference.ub.uni-bielefeld.de/2006/proceedings/lewandowski_mayr_final_web.pdf
- Markoff, J. (2004), "Google plans new service for scientists and scholars", *New York Times*, 18 November.
- Mayr, P. and Tosques, F. (2005), "Google Web APIs – an instrument for webometric analyses?", *Proceedings of the 10th International Conference of the International Society for Scientometrics and Informetrics, Stockholm (Sweden)*, available at: www.ib.hu-berlin.de/~mayr/arbeiten/ISSI2005_Mayr_Toques.pdf
- Mayr, P. and Walter, A.-K. (2006), "Abdeckung und Aktualität des Suchdienstes Google Scholar", *Information – Wissenschaft & Praxis*, Vol. 57 No. 3, pp. 133-40, available at: www.ib.hu-berlin.de/~mayr/arbeiten/IWP_3_06_MayrWalter.pdf
- Noruzi, A. (2005), "Google Scholar: the next generation of citation indexes", *Libri*, Vol. 55, pp. 170-80.
- Payne, D. (2004), "Google Scholar welcomed", *The Scientist*, Vol. 5 No. 1.
- Price, G. (2004), "Google Scholar documentation and large PDF files", *SearchEngineWatch*, available at: <http://blog.searchenginewatch.com/blog/041201-105511>
- Sullivan, D. (2004), "Google Scholar offers access to academic information", *Searchenginewatch*, available at: <http://searchenginewatch.com/showPage.html?page=3437471>
- Swan, A. and Brown, S. (2005), "Open access self-archiving: an author study", available at: <http://eprints.ecs.soton.ac.uk/10999/>
- Terdiman, D. (2004), "A tool for scholars who like to dig deep", *New York Times*, 25 November.

Corresponding author

Philipp Mayr can be contacted at: mayr@iz-soz.de